

PROPOSED FEDERAL STIMULUS PROJECTS

Possible Federal Stimulus Projects
 Division: Wastewater
 Prepared by: TMACOG

Project Code (Sponsor Agency/Entity + Project #)	Funds able to be obligated by July 1, 2009? (check if yes)	This project is more aspirational and funds may not meet a July 1st deadline (check if yes)	Project Name	Industry Sector	Potential Public or Private Partners	Development Region (To be completed by ODO)	County and/or City	Total Project Costs	Federal Request	Comments Regarding Status of Project	Estimated Construction Jobs	Estimated Job Creation	Estimated Job Retention	Project Description
OEPA, OWDA		x	Long Term Control Plan	wastewater	Delta		Fulton	\$4,500,000	\$4,500,000	Design underway; construction could start within 120 days of funding award.	100	138		Phase 1 of EPA mandated sewer separation.
OEPA	x		Wastewater Plant Equipment Replacement	wastewater	Delta		Fulton	\$224,540	\$224,540		2	9		
OEPA	X		New WWTP	wastewater	Fayette		Fulton	\$4,000,000	\$4,000,000	Construction could begin in 2010	50	1		
OEPA	X		Sewer separation Village wide	wastewater	Fayette		Fulton	\$4,250,000	\$4,250,000	Construction could begin in 2010	50	0		
	x		Henry County Landfill Leachate Pre-Treatment System	wastewater	Henry County		Henry	\$400,000	\$400,000	Project has EPA Permit to Install. There are some proposed changes to the project and a request for modifications to the PTI are being prepared.		16		
	x		Okolona Area Sanitary Sewer Improvements	wastewater	Henry County Regional Water and Sewer District		Henry	\$2,340,000	\$660,000	Project had obtained EPA Permit to Install which has recently expired as the project was not begun due to funding. A few minor revisions are now being made and the project will be resubmitted to EPA for a reissuance of the PTI.		26		
	x		Malinta Sanitary Sewer and Wastewater Treatment Plant Improvements	wastewater	Malinta		Henry	\$4,287,000	\$1,750,000	Design is complete. Project has been submitted to Ohio EPA for permit to install. Other permits are being obtained.		70		

PROPOSED FEDERAL STIMULUS PROJECTS

Possible Federal Stimulus Projects
 Division: Wastewater
 Prepared by: TMACOG

Project Code (Sponsor Agency/Entity + Project #)	Funds able to be obligated by July 1, 2009? (check if yes)	This project is more aspirational and funds may not meet a July 1st deadline (check if yes)	Project Name	Industry Sector	Potential Public or Private Partners	Development Region (To be completed by ODOT)	County and/or City	Total Project Costs	Federal Request	Comments Regarding Status of Project	Estimated Construction Jobs	Estimated Job Creation	Estimated Job Retention	Project Description
OEPA	x		Clairmont Street Improvements	wastewater	Napoleon		Henry	\$80,000	\$80,000	Design finished. Submitted to OEPA for approval.	5	3		Replacement of clay sanitary sewer with new PVC sanitary sewer. Part of full reconstruction of street & utilities. Existing is 51 years old.
OEPA	x		Dodd Street Improvements	wastewater	Napoleon		Henry	\$45,000	\$45,000	Design finished. Submitted to OEPA for approval.	5	2		Replacement of clay sanitary sewer with new PVC sanitary sewer. Part of full reconstruction of street & utilities.
OEPA	x		W. Washington Street & Avon Place Improvements	wastewater	Napoleon		Henry	\$790,000	\$790,000	Design finished. Submitted to OEPA for approval.	15	32		Replacement of existing 4" & 6" waterlines with new 8" waterlines. Part of full reconstruction of W. Washington Street and utilities. Mandated by O.E.P.A. Findings & Orders (sanitary).
OEPA	x		Broad Street sewer improvements, Monroeville	wastewater	Monroeville		Huron	\$1,170,000	\$1,170,000			47		
OEPA		x	WWTP improvements	wastewater	Monroeville		Huron	\$2,700,000	\$2,700,000			108		
OEPA	x		Angola Road Sewer	wastewater	Lucas County		Lucas	\$1,000,000	\$1,000,000		18	40		
OEPA	x		Computerized management system	wastewater	Lucas County		Lucas	\$45,000	\$45,000		2	2		
OEPA	x		East plant grit collection equipment replacement	wastewater	Lucas County		Lucas	\$285,000	\$285,000		12	11		
OEPA	x		East plant secondary clarifier equipment	wastewater	Lucas County		Lucas	\$1,200,000	\$1,200,000		24	48		
OEPA	x		East plant waste activated sludge pumps	wastewater	Lucas County		Lucas	\$187,000	\$187,000		10	7		
OEPA	x		Flume repair	wastewater	Lucas County		Lucas	\$50,000	\$50,000		6	2		
OEPA	x		Fuller's Creekside SSES	wastewater	Lucas County		Lucas	\$50,000	\$50,000		12	2		
EDA, Jobs Ready Site	Yes		Ironville Infrastructure: for Dock Storage Area	wastewater	Lucas County		Lucas	\$3,200,000	\$3,200,000	construction could start within 120 days of funding award	100	40		Ironville: Road, drainage, water, sewer improvements
OEPA	x		Mead Lane Sanitary Sewer Repair	wastewater	Lucas County		Lucas	\$50,000	\$50,000		10	2		
OEPA	x		Odor control imp.	wastewater	Lucas County		Lucas	\$2,000,000	\$2,000,000		24	80		

PROPOSED FEDERAL STIMULUS PROJECTS

Possible Federal Stimulus Projects
 Division: Wastewater
 Prepared by: TMACOG

Project Code (Sponsor Agency/Entity + Project #)	Funds able to be obligated by July 1, 2009? (check if yes)	This project is more aspirational and funds may not meet a July 1st deadline (check if yes)	Project Name	Industry Sector	Potential Public or Private Partners	Development Region (To be completed by ODOT)	County and/or City	Total Project Costs	Federal Request	Comments Regarding Status of Project	Estimated Construction Jobs	Estimated Job Creation	Estimated Job Retention	Project Description
OEPA	x		PS replacements	wastewater	Lucas County		Lucas	\$200,000	\$200,000		10	8		
OEPA	x		Rehabilitation / rebuild north generator	wastewater	Lucas County		Lucas	\$110,000	\$110,000		4	4		
OEPA	x		Shoreland, Corey Woods, Hasty Hills PS replacement	wastewater	Lucas County		Lucas	\$500,000	\$500,000		10	20		
OEPA	x		SS 803 Nebraska Ave	wastewater	Lucas County		Lucas	\$715,000	\$715,000		10	29		
OEPA	x		SS 820 Airport Hwy	wastewater	Lucas County		Lucas	\$1,470,000	\$1,470,000		10	59		
OEPA	x		Stone Oak, Blystone, Garden Creek PS abandonments	wastewater	Lucas County		Lucas	\$1,345,000	\$1,345,000		30	54		
OEPA	x		Trunk sewer cleaning / inspection	wastewater	Lucas County		Lucas	\$500,000	\$500,000		12	20		
OEPA	x		Trunk sewer repairs	wastewater	Lucas County		Lucas	\$1,000,000	\$1,000,000		12	40		
OEPA	x		Wastewater plant solids handling improvements	wastewater	Lucas County		Lucas	\$916,000	\$916,000		12	37		
OEPA	x		West plant ultraviolet module	wastewater	Lucas County		Lucas	\$291,000	\$291,000		10	12		
OEPA	x		Cass Rd PS Improvements	wastewater	Maumee		Lucas	\$145,000	\$145,000			6		
OEPA	x		Oregon Sanitary Sewer Rehabilitation Project Phase 1	wastewater	Oregon		Lucas	\$819,675	\$619,675	Design, consisting mainly of technical specifications and re-use of as-built drawings, is 95% complete and project has OPWC funding of \$200,000 Grant / \$200,000 Loan.	20			Project consists of rehabilitating or lining 7070' of 10"-30" existing collector or trunk sanitary with Insituform.

PROPOSED FEDERAL STIMULUS PROJECTS

Possible Federal Stimulus Projects
 Division: Wastewater
 Prepared by: TMACOG

Project Code (Sponsor Agency/Entity + Project #)	Funds able to be obligated by July 1, 2009? (check if yes)	This project is more aspirational and funds may not meet a July 1st deadline (check if yes)	Project Name	Industry Sector	Potential Public or Private Partners	Development Region (To be completed by ODOT)	County and/or City	Total Project Costs	Federal Request	Comments Regarding Status of Project	Estimated Construction Jobs	Estimated Job Creation	Estimated Job Retention	Project Description
OEPA	x		Sanitary Sewer System Inspection and I/I Removal Program - Phase 1	wastewater	Oregon		Lucas	\$409,000	\$409,000	Design, consisting mainly of technical specifications and re-use of as-built drawings, is 65% complete. Final inspection and repair areas to be determined in Spring of 2009 following flow monitoring results.	30		10	Project consists of sanitary sewer cleaning and video detection, smoke testing, flow monitoring and sanitary sewer repair to eliminate I/I sources.
OEPA		x	Bennett Area Sewer Improvement	wastewater	Toledo		Lucas	\$5,235,000	\$5,235,000		35	209		
OEPA	x		Dearden/Birdsall Sanitary Sewer	wastewater	Toledo		Lucas	\$428,391	\$428,391	176,220,711	3	17		Unsewered area
OEPA		x	Detroit Ave. Sanitary Sewer Overflow Elimination	wastewater	Toledo		Lucas	\$3,054,200	\$3,054,200		20	122		SSO Elimination
OEPA, OPWC	x		Dexter Alley Sanitary Sewer	wastewater	Toledo		Lucas	\$388,120	\$198,120		3	8		Sewer replacement
OEPA	x		E-3 International Park Storage Pipeline	wastewater	Toledo		Lucas	\$24,610,000	\$24,610,000		100	984		Wet Weather Storage
OEPA		x	E-5 Oakdale Storage Basin	wastewater	Toledo		Lucas	\$30,130,000	\$30,130,000		120	1,205		Wet Weather Storage
OEPA	x		E-6 Wheeling Avenue Sewer Separation	wastewater	Toledo		Lucas	\$4,485,000	\$4,485,000		20	179		Sewer Separation
OEPA		x	E-7 East Side Grit Facility	wastewater	Toledo		Lucas	\$15,985,000	\$15,985,000		65	639		Upgrading Grit Facilities for WWTP
OEPA, OPWC	x		Large Diameter Sewer Rehabilitation	wastewater	Toledo		Lucas	\$615,000	\$315,000		4	13		Sewer rehabilitation
OEPA	x		O-2 Lockwood/DeVilbiss Sewer Separation	wastewater	Toledo		Lucas	\$17,365,000	\$17,365,000		75	695		Sewer Separation
OEPA	x		O-3 Ayres/Monroe Storage/Conveyance Pipeline	wastewater	Toledo		Lucas	\$12,420,000	\$12,420,000		50	497		Wet Weather Storage
OEPA		x	Parkside Area Sanitary Sewer Overflow Elimination	wastewater	Toledo		Lucas	\$5,500,000	\$5,500,000		37	220		SSO Elimination
OEPA	x		S-3 Highland Sewer Separation	wastewater	Toledo		Lucas	\$5,405,000	\$5,405,000		20	216		Sewer Separation

PROPOSED FEDERAL STIMULUS PROJECTS

Possible Federal Stimulus Projects
 Division: Wastewater
 Prepared by: TMACOG

Project Code (Sponsor Agency/Entity + Project #)	Funds able to be obligated by July 1, 2009? (check if yes)	This project is more aspirational and funds may not meet a July 1st deadline (check if yes)	Project Name	Industry Sector	Potential Public or Private Partners	Development Region (To be completed by ODOT)	County and/or City	Total Project Costs	Federal Request	Comments Regarding Status of Project	Estimated Construction Jobs	Estimated Job Creation	Estimated Job Retention	Project Description
OEPA		x	S-4 Woodsdale Inflow Reduction	wastewater	Toledo		Lucas	\$4,600,000	\$4,600,000		20	184		Inflow Reduction
OEPA		x	W-1 Jamie Farr Park Storage Pipeline	wastewater	Toledo		Lucas	\$11,270,000	\$11,270,000		50	451		Wet Weather Storage
OEPA	x		W-2 Ash Street Sewer Separation	wastewater	Toledo		Lucas	\$8,280,000	\$8,280,000		35	331		Sewer Separation
OEPA		x	W-5 Knapp & Williams Inflow Reduction	wastewater	Toledo		Lucas	\$1,840,000	\$1,840,000		10	74		Inflow Reduction
OEPA		x	W-6 Maumee Storage Basin	wastewater	Toledo		Lucas	\$23,115,000	\$23,115,000		100	925		Wet Weather Storage
OEPA		x	W-7 New York Inflow Reduction	wastewater	Toledo		Lucas	\$1,495,000	\$1,495,000		10	60		Inflow Reduction
EDA	Yes		Infrastructure Improvements at Toledo Express Airport	wastewater	Toledo-Lucas County Port Authority		Lucas	\$5,000,000	\$5,000,000	construction could start within 120 days of funding award	25	400		Potable water, sanitary sewer, road and cargo building.
OEPA	x		Portable generator for smaller lift stations	wastewater	Waterville		Lucas	\$15,000	\$15,000			1		
OEPA	x		Replacement of standby generators at sanitary PSSs	wastewater	Waterville		Lucas	\$450,000	\$450,000		20	18		
OEPA	x		Relocation of sanitary force mains: US 24 imp.	wastewater	Waterville , ODOT		Lucas	\$192,500	\$192,500			8		
OEPA	x		Dutch Rd extension	wastewater	Whitehouse		Lucas	\$1,116,200	\$1,116,200	Could be ready to go to bidding within 120 days of funding	15	45		Provide sanitary sewer service to an area of Waterville Twp. on Dutch Rd. from the Village limits approx. 4,200 ft. east
OEPA	x		Industrial development	wastewater	Whitehouse		Lucas	\$180,000	\$180,000			7		
OEPA	x		Industrial Park new road	wastewater	Whitehouse		Lucas	\$70,000	\$70,000			3		
OEPA	x		River Trace Subdivision	wastewater	Whitehouse		Lucas	\$225,000	\$225,000			9		
OEPA	x		Sandra Park	wastewater	Whitehouse		Lucas	\$200,000	\$200,000			8		
OEPA	x		SR 64 extension E to district boundary	wastewater	Whitehouse		Lucas	\$450,000	\$450,000			18		

PROPOSED FEDERAL STIMULUS PROJECTS

Possible Federal Stimulus Projects
 Division: Wastewater
 Prepared by: TMACOG

Project Code (Sponsor Agency/Entity + Project #)	Funds able to be obligated by July 1, 2009? (check if yes)	This project is more aspirational and funds may not meet a July 1st deadline (check if yes)	Project Name	Industry Sector	Potential Public or Private Partners	Development Region (To be completed by ODOT)	County and/or City	Total Project Costs	Federal Request	Comments Regarding Status of Project	Estimated Construction Jobs	Estimated Job Creation	Estimated Job Retention	Project Description
OEPA	x		Stiles E from Providence	wastewater	Whitehouse		Lucas	\$200,000	\$200,000			8		
OEPA	x		Waterville Street short extension	wastewater	Whitehouse		Lucas	\$40,000	\$40,000			2		
OEPA	x		Weckerly Rd Ulrich sewer extension Vintage	wastewater	Whitehouse		Lucas	\$500,000	\$500,000			20		
OEPA	x		Whitehouse Meadows	wastewater	Whitehouse		Lucas	\$200,000	\$200,000			8		
OEPA	x		Whitehouse Sq Plate II	wastewater	Whitehouse		Lucas	\$400,000	\$400,000			16		
OEPA		x	Sewer separation	wastewater	Swanton		Lucas - Fulton	\$4,200,000	\$4,200,000			168		
OEPA	x		WWTP upgrades for wet weather capacity	wastewater	Swanton		Lucas - Fulton	\$2,800,000	\$2,800,000		100	112		
MDEQ		x	Bedford wastewater plant rehabilitation, I/I	wastewater	Monroe County, Michigan, Bedford Township		Monroe County, Michigan	\$10,000,000	\$10,000,000	Facility plan in preparation 2009		400		WWTP rehabilitation planned 2009-14
OEPA	x		Interceptor, PS replacement	wastewater	Elmore		Ottawa	\$931,125	\$931,125			37		
OEPA		x	New WWTP	wastewater	Elmore		Ottawa	\$4,095,000	\$4,095,000			164		
OEPA	x		Ohio Avenue Sanitary Pump Station and Force Main Replacement	wastewater	Elmore		Ottawa	\$324,000	\$324,000	serves 40 single family dwellings. Ready to construct in 90 to 120 days.	15	13		
OPWC, OWDA	Yes		Sanitary Sewer	wastewater	Elmore		Ottawa	\$1,372,000	\$1,372,000	Design 85% complete; construction within 90 days of funding award.	75	50		Sanitary sewer improvements in Village
OPWC, OWDA, CDBG-ED	Yes		Water & Sanitary Sewer to Business Park	wastewater	Elmore		Ottawa	\$1,459,000	\$1,459,000	construction could start within 120 days of funding award	50	200		Water & sanitary sewer extension to business park.
OEPA	x		Long Term Control Plan	wastewater	Oak Harbor		Ottawa	\$2,760,000	\$2,760,000			110		
EDA	x		State Route #163 Sanitary Sewer Extension	wastewater	Ottawa County		Ottawa	\$921,560	\$921,560	construction could start within 120 days of funding award	12	37		The project includes the installation of 6300 LF of gravity sewers to serve a portion of SR #163 in Danbury Township.

PROPOSED FEDERAL STIMULUS PROJECTS

Possible Federal Stimulus Projects
 Division: Wastewater
 Prepared by: TMACOG

Project Code (Sponsor Agency/Entity + Project #)	Funds able to be obligated by July 1, 2009? (check if yes)	This project is more aspirational and funds may not meet a July 1st deadline (check if yes)	Project Name	Industry Sector	Potential Public or Private Partners	Development Region (To be completed by ODOT)	County and/or City	Total Project Costs	Federal Request	Comments Regarding Status of Project	Estimated Construction Jobs	Estimated Job Creation	Estimated Job Retention	Project Description
OEPA	x		Erie Township Water and Sewer Extension, Phase IV	wastewater and water supply	Ottawa County to construct water and sewer system. Port Clinton to Maintain Sewers, Ottawa County maintain water system.		Ottawa	\$860,345	\$860,345	Design in progress. Can be bid 2nd quarter 2009.	12	34		A pump station and 2900 lineal feet of 4" force main is proposed to be installed in addition to 2900 lineal feet of 8" water main to serve BFI.
OEPA	x		Allen / Clay Twp. Sanitary Sewer Extension, Phase 5	wastewater	Ottawa County to construct. The Village of Genoa to operate & maintain.		Ottawa	\$2,064,571	\$2,064,571	General Plan has been completed and approved by Ohio EPA. Detailed design has been completed.	20	83		Service area has been under a construction ban since 1981 due to failed septic systems. Property owners can not afford the project without grant assistance. The project involves the extension of a sanitary sewer collection system to serve to the area.
OEPA or EDA	x		South Bass Island Resort Sanitary Sewer Project	wastewater	Ottawa County to construct. The village of Put-in-Bay to maintain.		Ottawa	\$3,156,500	\$3,156,500	construction could start within 120 days of funding award	20	225		The project includes the installation of 7519 LF of gravity sewers, 1363 LF of force main and a pump station to serve a resort area and existing residents adjacent to the project service area which is under OEPA Findings and Orders.
OEPA		x	East End Project: Replace Water and Sewer lines Reline Sanitary Sewer, Replace water mains, install sidewalks and resurface streets	wastewater	Port Clinton		Ottawa	\$5,000,000	\$3,750,000		50	150		
OEPA	x		Perry St Pumps: Replace Storm Water Pumps Replace 3 pump station pumps with submersible pumps	wastewater	Port Clinton		Ottawa	\$500,000	\$375,000		5	15		
OEPA	x		Sixth Street: Sewer Separation and Resurfacing Install new sanitary sewer, resurface street	wastewater	Port Clinton		Ottawa	\$1,300,000	\$1,040,000		20	42		

PROPOSED FEDERAL STIMULUS PROJECTS

Possible Federal Stimulus Projects
 Division: Wastewater
 Prepared by: TMACOG

Project Code (Sponsor Agency/Entity + Project #)	Funds able to be obligated by July 1, 2009? (check if yes)	This project is more aspirational and funds may not meet a July 1st deadline (check if yes)	Project Name	Industry Sector	Potential Public or Private Partners	Development Region (To be completed by ODOT)	County and/or City	Total Project Costs	Federal Request	Comments Regarding Status of Project	Estimated Construction Jobs	Estimated Job Creation	Estimated Job Retention	Project Description
OEPA	x		Third St. Sanitary Interceptor: Sanitary Transmission Line Install main sanitary trunk line to allow for sewer separation	wastewater	Port Clinton		Ottawa	\$2,500,000	\$1,875,000		20	75		
OEPA		x	WWTP: Add Clarifier and Sludge Dryer Add 4th Clarifier and Sludge Drier increasing capacity to 3 mgd	wastewater	Port Clinton		Ottawa	\$1,200,000	\$900,000		25	36		
OEPA, Corps, OWDA, OPWC	Yes		Sanitary Sewer	wastewater	Put-in-Bay		Ottawa	\$2,593,000	\$2,593,000	construction could start within 120 days of funding award	30	104		East Point / Toledo / Sybil / Ibis Waterline & Sanitary Sewer Extensions
OEPA, Corps	x		Wastewater Treatment Plant	wastewater	Put-in-Bay		Ottawa	\$3,850,000	\$2,600,000	design complete; construction could start within 60-90 days of funding	20	104		Without adequate wastewater improvements tourists and residents could not be accommodated
OEPA	x		Buckeye III sewer separation	wastewater	Clyde		Sandusky	\$400,000	\$400,000		30	16		
OEPA	x		East II sewer separation	wastewater	Clyde		Sandusky	\$450,000	\$450,000		30	18		
OEPA	x		Forest I sewer separation	wastewater	Clyde		Sandusky	\$650,000	\$650,000		30	26		
OEPA	x		Forest II sewer separation	wastewater	Clyde		Sandusky	\$550,000	\$550,000		30	22		
OEPA		x	High Rate Clarification / Solids Handling Improvements 2011-2012.	wastewater	Fremont		Sandusky	\$46,000,000	\$46,000,000			1,840		
OEPA	x		North St. Siphon	wastewater	Fremont		Sandusky	\$400,000	\$400,000			16		
OEPA	x		Sludge Dewatering Improvements	wastewater	Fremont		Sandusky	\$2,400,000	\$2,400,000			96		
OEPA		x	improvements to the stormwater retention basin	wastewater	Gibsonburg		Sandusky	\$0				0		

PROPOSED FEDERAL STIMULUS PROJECTS

Possible Federal Stimulus Projects
 Division: Wastewater
 Prepared by: TMACOG

Project Code (Sponsor Agency/Entity + Project #)	Funds able to be obligated by July 1, 2009? (check if yes)	This project is more aspirational and funds may not meet a July 1st deadline (check if yes)	Project Name	Industry Sector	Potential Public or Private Partners	Development Region (To be completed by ODOT)	County and/or City	Total Project Costs	Federal Request	Comments Regarding Status of Project	Estimated Construction Jobs	Estimated Job Creation	Estimated Job Retention	Project Description
OEPA		x	Install a new 33" interceptor and lift station from the West Branch CSO to the wastewater plant	wastewater	Gibsonburg		Sandusky	\$0				0		
OEPA	x		Sewer force main to Clyde system	wastewater	Green Springs		Sandusky	\$1,216,296	\$1,216,296			49		
USDA-RD OPWC	Yes		Wastewater Treatment Plant & Collection System	wastewater	Helena		Sandusky	\$2,459,988	\$487,988	Ready to bid	25	20		Mandated EPA project; 54.98% LMI & cannot afford project w/o assistance.
OPWC	x		WWTP Improvements	wastewater	Lindsey		Sandusky	\$36,000	\$36,000	Ready for spring construction	4	0		Replacement of surface sand filter, air piping, and shredder pumps
OEPA		X	Bartson Road Sanitary Sewer Improvements	wastewater	Sandusky County		Sandusky	\$259,000	\$259,000			10		
OEPA	X		Grandview Lift Station Replacement	wastewater	Sandusky County		Sandusky	\$720,000	\$445,000	Ohio EPA Findings & Orders, OPWC Grant (\$275,000)		18		
OEPA		X	Hayes Avenue Sanitary Sewer Improvements	wastewater	Sandusky County		Sandusky	\$1,924,000	\$1,924,000	Ohio EPA Findings & Orders		77		
OEPA	X		Ireland Force Main Replacement Project	wastewater	Sandusky County		Sandusky	\$225,000	\$225,000			9		
OEPA		X	Timpe Road Sanitary Sewer Improvements	wastewater	Sandusky County		Sandusky	\$897,000	\$897,000	Ohio EPA Findings & Orders		36		
OEPA	X		U.S. Route 6 Sanitary Sewer Improvements	wastewater	Sandusky County		Sandusky	\$996,700	\$775,700	Ohio EPA Findings & Orders, OPWC Grant (\$221,000)		31		
OEPA	X		Fangboner Road Sanitary Sewer Improvements	wastewater	Sandusky Township Sewer District		Sandusky	\$659,000	\$659,000			26		
OEPA	x		Sewer separation, phase I	wastewater	Woodville		Sandusky	\$2,048,868	\$2,048,868		10	82		
OEPA	x		Sewer separation, phase II	wastewater	Woodville		Sandusky	\$2,005,470	\$2,005,470		10	80		

PROPOSED FEDERAL STIMULUS PROJECTS

Possible Federal Stimulus Projects
 Division: Wastewater
 Prepared by: TMACOG

Project Code (Sponsor Agency/Entity + Project #)	Funds able to be obligated by July 1, 2009? (check if yes)	This project is more aspirational and funds may not meet a July 1st deadline (check if yes)	Project Name	Industry Sector	Potential Public or Private Partners	Development Region (To be completed by ODOT)	County and/or City	Total Project Costs	Federal Request	Comments Regarding Status of Project	Estimated Construction Jobs	Estimated Job Creation	Estimated Job Retention	Project Description
OEPA	x		Sewer separation, phase III	wastewater	Woodville		Sandusky	\$1,553,520	\$1,553,520		10	62		Replacement of 2100 LF of concrete sanitary sewer. This section of sewer has been identified as a major contributor of infiltration due to leaking tap connections and a failed liner. The construction of this project will help to reduce wet weather sanitary sewer bypasses to the Belleville Ditch at the Conneaut Pump Station..
OEPA	Yes		Conneaut Avenue Sewer Replacement	wastewater	Bowling Green		Wood	\$330,000	\$330,000	Project Ready to be Bid January 2009, OEPA PTI Received	25	0	1,000	Replacement of 380 LF of sanitary sewer that was installed with inadequate hydraulic capacity due to insufficient slope. This section of sewer requires constant maintenance to avoid backups into tributary homes..
OEPA	Yes		Fort Drive Sewer Replacement	wastewater	Bowling Green		Wood	\$30,000	\$30,000	Project Ready to Bid April 2009	25	0	20	Rehabilitation of 3700 LF of 18 and 24-inch concrete sanitary sewer. This sewer section has been severely degraded by hydrogen sulfide produced in the upstream forcemain. The proposed project calls for relining this sewer section and replacing existing manholes.
OEPA	Yes		Napoleon Road / South College Sewer Rehabilitation	wastewater	Bowling Green		Wood	\$350,000	\$350,000	Project Ready to Bid March 2009	25	0	1,000	Replacement of existing undersized sanitary pump station with a new sanitary pump station. The existing station serves an area of 400 acres of mixed commercial, business and residential land and has reached the end of its design life. The new station is required to maintain flows from existing customers while providing capacity for an additional 500 acres of mixed commercial, business and residential land.
OEPA	Yes		Poe and Dunbridge Pump Station Replacement	wastewater	Bowling Green		Wood	\$750,000	\$750,000	Project Ready to Bid June 2009	25	0	400	The primary settling tank drives are in need of replacement. The existing drives have been in continuous service for 26 years. These drives were scheduled to be replaced in 2009.

PROPOSED FEDERAL STIMULUS PROJECTS

Possible Federal Stimulus Projects
 Division: Wastewater
 Prepared by: TMACOG

Project Code (Sponsor Agency/Entity + Project #)	Funds able to be obligated by July 1, 2009? (check if yes)	This project is more aspirational and funds may not meet a July 1st deadline (check if yes)	Project Name	Industry Sector	Potential Public or Private Partners	Development Region (To be completed by ODOT)	County and/or City	Total Project Costs	Federal Request	Comments Regarding Status of Project	Estimated Construction Jobs	Estimated Job Creation	Estimated Job Retention	Project Description
OEPA	Yes		Primary clarifier drive replacement	wastewater	Bowling Green		Wood	\$140,000	\$140,000	Project ready to bid 2/2009	3	0	14,000	A sludge storage building and an additional centrifuge would be provided. This project would also include relocating the existing centrifuge into this new building equipped with conveyors to transport the dewatered sludge.
OEPA		Yes	Sludge Storage and Centrifuge	wastewater	Bowling Green		Wood	\$1,200,000	\$1,200,000	Project could be ready 7/2009	15	0	14,000	This project will remove 1.2 MGD of wet weather flow of clean storm water that enters the sanitary sewer.
OEPA	Yes		South Maple Street Infiltration and Inflow removal project.	wastewater	Bowling Green		Wood	\$400,000	\$400,000	Project will be ready to bid 2/2009.	4	0	0	Rehabilitation of 6500 LF of 8 and 10-inch combined and sanitary sewers. These sewer sections consist of various defects such as root intrusion, leaking laterals, broken or mission pipe sections. The goal of this project is to reduce clean water infiltration into existing sanitary sewers while addressing structural or hydraulic concerns in both combined and sanitary sewer segments.
OEPA	Yes		Various Streets Sewer Rehabilitation	wastewater	Bowling Green		Wood	\$250,000	\$250,000	Project Ready to Bid March 2009	25	0	1,000	Construction of 500 LF of new separated sanitary sewer to address clean water infiltration.
OEPA	Yes		Wallace Avenue Sewer Replacement	wastewater	Bowling Green		Wood	\$70,000	\$70,000	Project Ready to Bid April 2009	25	0	25	Ohio EPA compliance schedule in the City's NPDES Permit requires the UV to be constructed to treat 30 MGD. This project has been designed.
OEPA, OPWC	Yes		Waste Water Treatment Ultra violet disinfection unit rated at 30 MGD.	wastewater	Bowling Green		Wood	\$2,300,000	\$2,300,000	Project ready to bid 7/2009.	15	0	14,000	
OEPA		x	CSO #5 Elimination	wastewater	Fostoria		Wood	\$325,000	\$325,000			13		
OEPA		x	East Park Sanitary Sewer	wastewater	Fostoria		Wood	\$150,000	\$150,000			6		
OEPA		x	Long Term Control Plan	wastewater	Fostoria		Wood	\$60,000,000	\$60,000,000			2,400		
OEPA	x		North Poplar Street Sanitary Sewer & Waterline	wastewater	Fostoria		Wood	\$350,000	\$350,000			14		

PROPOSED FEDERAL STIMULUS PROJECTS

Possible Federal Stimulus Projects
 Division: Wastewater
 Prepared by: TMACOG

Project Code (Sponsor Agency/Entity + Project #)	Funds able to be obligated by July 1, 2009? (check if yes)	This project is more aspirational and funds may not meet a July 1st deadline (check if yes)	Project Name	Industry Sector	Potential Public or Private Partners	Development Region (To be completed by ODOD)	County and/or City	Total Project Costs	Federal Request	Comments Regarding Status of Project	Estimated Construction Jobs	Estimated Job Creation	Estimated Job Retention	Project Description
OEPA		x	Res. 4 project	wastewater	Fostoria		Wood	\$1,500,000	\$1,500,000			60		
OEPA	x		Sandusky Street Pump Station Replacement	wastewater	Fostoria		Wood	\$405,000	\$405,000			16		
OEPA		x	WWTP Upgrades	wastewater	Fostoria		Wood	\$1,400,000	\$1,400,000			56		
			Hoytville Sanitary Sewer, Manhole, and Pump Station Rehabilitation	wastewater	Hoytville		Wood		\$160,000	Project Status Comments: Project applied for but did not receive Ohio State Issue 1 funding in fall 2008.		6		
OEPA	x		elimination of CSO #1, on Water Street	wastewater	North Baltimore		Wood	\$7,393,319	\$7,393,319		20	296		
OEPA		x	elimination of CSO #2, on Broadway	wastewater	North Baltimore		Wood	\$7,000,000	\$7,000,000		20	280		Sanitary sewer rehabilitation will remove stormwater from the sanitary system as required by OEPA to allow future commercial, industrial and residential development
OWDA	Yes		Infiltration and Inflow Sewer Improvements	wastewater	Northwestern Water and Sewer District		Wood	\$1,200,000	\$500,000	Design scope in progress. Ready to bid 90 days	30	20		ODOD provided a \$2.6 million grant to develop this prime industrial property (+1000 acres available in area) for large manufacturing facilities
ODOD JRS, OWDA	Yes		JRS Eastwood Commerce Center Industrial Development Sanitary and Water Systems	wastewater and water supply	Northwestern Water and Sewer District		Wood	\$7,500,000	\$1,500,000	Design compl. & EPA approved for H2O tank & Sanitary. H2O distrib. design imminent. Ready to Bid 60 days	150	500		Ohio EPA orders issued in 1992 to construct sanitary sewers in these unsewered, unincorporated communities
ODOD, OPWC, OWDA	Yes		Stony Ridge / Lemoyne Sanitary sewers	wastewater	Northwestern Water and Sewer District		Wood	\$5,188,200	\$4,588,200	Design compl., EPA Approved, Ready to bid now.	75	184		Unsewered critical area. Sewers will be constructed to transport sewage for treatment for improving the environment in this primarily residential area
OWDA, ODOD, OPWC, USDA		Yes	Sugar Ridge / Dunbridge Sanitary sewer	wastewater	Northwestern Water and Sewer District		Wood	\$5,500,000	\$2,000,000	In planning	100	80		

PROPOSED FEDERAL STIMULUS PROJECTS

Possible Federal Stimulus Projects
 Division: Wastewater
 Prepared by: TMACOG

Project Code (Sponsor Agency/Entity + Project #)	Funds able to be obligated by July 1, 2009? (check if yes)	This project is more aspirational and funds may not meet a July 1st deadline (check if yes)	Project Name	Industry Sector	Potential Public or Private Partners	Development Region (To be completed by ODOT)	County and/or City	Total Project Costs	Federal Request	Comments Regarding Status of Project	Estimated Construction Jobs	Estimated Job Creation	Estimated Job Retention	Project Description
OWDA, ODOT, OPWC, USDA		Yes	Thompson Rd (Perrysburg Township) and Truman Rd (Troy Township) Sanitary Sewer	wastewater	Northwestern Water and Sewer District		Wood	\$1,200,000	\$500,000	In planning	30	20		Trunk sewer that serves prime industrial and commercial development is deteriorating and in need of repairs to prevent potential catastrophic failure
OWDA	Yes		Tracy Road Trunk Sewer Rehabilitation	wastewater	Northwestern Water and Sewer District		Wood	TBD	TBD	Project scope / Procurement package pending. Ready to bid 60 days	30			Ohio EPA Orders to be issued in 2009 construct sanitary sewers in this unsewered community
ODOD, OPWC, OWDA	Yes		West Millgrove Sanitary Sewer	wastewater	Northwestern Water and Sewer District		Wood	\$2,300,000	\$1,200,000	Design complete. EPA approval pending. Ready to bid 120 days	30	48		
OPWC, OWDA		Yes	Weston WWTP Upgrade	wastewater	Northwestern Water and Sewer District		Wood	\$1,500,000	\$600,000	In planning	25	24		
OWDA	Yes		Williamsburg / Otsego Regional WWTP	wastewater	Northwestern Water and Sewer District		Wood	\$1,400,000	\$500,000	Design complete. Ready to bid 90 days	35	20		
OWDA	Yes		Wise Street (Northwood) Sanitary Sewer Extension	wastewater	Northwestern Water and Sewer District		Wood	\$904,800	\$250,000	Design update in progress. Ready to bid 90 days	25	10		Project will reduce costs of trucking landfill leachate by pumping to regional treatment plant for disposal
OWDA	Yes		Wood County Landfill Leachate sanitary sewer line	wastewater	Northwestern Water and Sewer District		Wood	\$1,700,000	\$1,000,000	Design contract awarded. Ready to bid 90 days	150	40	25	replace sanitary sewer, water lines, curbs and pavement
OEPA	x		Maryland Place Pavement and Utility Improvements		Northwestern Water and Sewer District, Northwood		Wood	\$616,100	\$616,100				25	
OEPA	x		New WWTP	wastewater	Pemberville		Wood	\$2,500,000	\$2,500,000				100	Sewer separation. 3500', 6" 60" storm sewer
OEPA	YES		Cherry Street Sewer Separation District 207	wastewater	Perrysburg		Wood	\$893,000	\$893,000	Scheduled to bid in spring 2009	10	36		Sewer separation. 3300', 6" 60" storm sewer
OEPA	YES		Cherry Street Sewer Separation District 208	wastewater	Perrysburg		Wood	\$1,386,000	\$1,386,000	Late 2009	10	55		4,000' new sanitary sewer SR 25 to Frusher Rd. Provide sanitary service to development corridor
OEPA		x	Five point Rd sanitary sewer	wastewater	Perrysburg		Wood	\$570,000	\$570,000	3rd quarter 2009	10	23		Replace 4000' of undersized sewer w/24" sewer. Reduce sewer overflows to the Maumee River
OEPA	YES		Maumee River Interceptor Sewer phase 2	wastewater	Perrysburg		Wood	\$705,000	\$705,000	Scheduled to bid in spring 2009	8	28		New Pump Station

